ROLL-KRAFT

CALL TOLL-FREE 888.953.9400 FOR ADDITIONAL INFORMATION OR VISIT WWW.ROLL-KRAFT.COM

ROLL-KRAFT

Solutions for the Tube, Pipe & Roll Forming Industries

Lubrication Checklist for Tube, Pipe and Rollform Mills 2500 Hour Tasks

Task Date		20		
Actual Time		**		Color Color
Drive Line Couplings	1000 v.	.003		
Lubricate			As at	
Electric Motor Bearings (Grease)				
AC motors				
DC motors				
Coolant pump motor		2.5		
Rotary transformer (ERW welders)				
Fan motors				
Hydraulic motors			33340	
			A	
S. 340				
Gearboxes				
Change the oil				
Rotary Transformers (ERW Welders)	1990			
Change the oil				N - 0
MG Sets				3.52 3.65 A
Change the oil (wet bearing cups)		-02.0		
Lubricate (greaseable designs)			*	
Hydraulic Accelerator Systems	WAR SERVE	1245		in (1)
Change oil	399 - 10000			
Change oil filter				

Maintenance mechanic initials each box next to the specific task when that task is completed **Task Date** is the date that the lubrication task is performed **Actual Time** is the time interval, in hours, when the task is performed (recommended interval is 2500 hours) Blank spaces provided in the Electric Motor Bearings section for motors not listed